



17350 Pipe Stretcher Kit Anti-Seize Compound

Safety Data Sheet

Revision Date: 08/07/2018

Date of Issue: 08/07/2018

Supersedes Date: N/A

Version: New

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Grease

Product Name: Lisle 1/2 Oz. Anti-Seize Compound

CAS No: N/A

Product Usage

Anti-Seize compound for Lisle Tools 17350 Pipe Stretcher Kit

Name, Address, and Telephone number of the Responsible Party

Lisle Corporation

807 East Main Street

Clarinda, IA 51632

1-712-542-5101

www.lislecorp.com

Emergency Telephone Number

1-712-542-5101

SECTION 2: HAZARDS IDENTIFICATION

Classification: N/A

Signal Word: N/A

Pictogram: N/A

Hazard Statements: None needed according to classification criteria

Precautionary Statements

Response: N/A

Prevention: N/A

Storage: N/A

Disposal: N/A

General: If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Ingredients of unknown toxicity: 0%

Hazards not Otherwise Classified:

GHS Label Element: Not a hazardous substance or mixture.

GHS Classification: Not a hazardous substance or mixture.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name	Product Identifier	% (w/w)
There are no additional ingredients present which, within the current knowledge	N/A	Unknown

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.

Skin Contact: Wash affected area thoroughly with soap and water. Remove contaminated clothing and laundry before re-use. Get medical attention if irritation develops.

Inhalation: Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Ingestion: Do not induce vomiting. Keep warm. Get medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Carbon Dioxide, Dry Chemical, Foam Use water fog to cool material in vicinity of fire.

Unsuitable Extinguishing Media

None known

Special Fire Fighting Procedures

Fight like a fuel oil fire. Cool fire exposed containers with water spray. Use water to keep fire exposed containers cool to prevent pressure build-up. Fire fighter should wear OSHA/NIOSH approved self-contained breathing apparatus.

Unusual Fire or Explosion Hazards

None known

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:

Carbon Dioxide

Carbon Monoxide

Trace metal oxides

SECTION 6: ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of spill or release

Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other inert material. Disposal should be in accordance with local, state, and federal regulations.

SECTION 7: HANDLING AND STORAGE

Storage Handling

Avoid storage near open flame or other sources of ignition.

Handling Spills may cause slippery floors. Proper footwear required. Remove contaminated clothing and launder before reuse. Wash hands with soap and water before eating, drinking or smoking. Discard contaminated leather gloves and shoes.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
There are no additional ingredients present which, within the current knowledge	N/A	N/A	N/A

Personal Protective Equipment

Goggles, Gloves

Eye Protection

Safety goggles or glasses with side shields are recommended.

Skin Protection

Use neoprene or nitrile rubber gloves to prevent skin contact.

Respiratory Protection

No respiratory protection should be needed with good local ventilation.

Other Protective Equipment

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin exposure.

Hygiene Measures

Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Soft solid

Color: Aluminum

Odor: Petroleum

Odor Threshold: Not available

Solubility: Insoluble in water

Partition coefficient Water/n-octanol: Not available

VOC%: N/A

Viscosity: Not available

Specific Gravity: 1.1

Density lbs/Gal: N/A

Pounds per Cubic Foot: N/A

Flash Point: 221.11°C 420°F

FP Method: COC

pH: Not available

Melting Point: Not available

Boiling Point: Not available

Boiling Range: N/A

LEL: N/A

UEL: N/A

Evaporation Rate: Not available

Flammability: Not available

Decomposition Temperature: Not available

Auto-ignition Temperature: Not available

Vapor Pressure: Not available

Vapor Density: Not available

Note The above information is not intended for use in preparing product specifications. Contact Lisle Corporation before writing specifications.

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability

Stable

Materials to Avoid / Incompatibility

Avoid contact with strong oxidizing agents.

Hazardous Polymerization

Will not occur

Conditions to Avoid

Do not heat above flash point. Do not weld.

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicology Information

No known applicable information.

Special Hazard Information on Components

No known applicable information.

Carcinogenicity

This product is not known to be a carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

Environmental Effects

Complete information is not yet available.

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

Environmental Fate and Distribution

Complete information is not yet available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

SECTION 14: TRANSPORT INFORMATION

UN Number: N/A

UN Proper Shipping Name: Not regulated

DOT Classification: Not regulated

Packing Group: Not regulated

Air Shipment (IATA): Not subject to IATA regulations.

Ocean Shipment (IMDG): Not subject to IMDG code.

SECTION 15: REGULATORY INFORMATION

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section 302 Extremely Hazardous Substances

None

SARA Title III Section 304 CERCLA Substances

None

SARA Title III Section 313 Toxic Chemicals

Aluminum (7429-90-5)

California Proposition 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known

New Jersey

Aluminum (7429-90-5)

Pennsylvania

Aluminum (7429-90-5)

Graphite (7782-42-5)

SECTION 16: OTHER INFORMATION

Revision Date: 08/17/2018

Other Information: The data contained herein is based upon information that Lisle Corporation believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.